


Village of Round Lake Building Department

442 North Cedar Lake Road • Round Lake, IL 60073 • 847-546-0963 • Fax 847-546-1872

Sump discharge requirements

- Sump pump and/or roof gutter shall discharge not less than five feet beyond the building but not more than ten feet from the building.
- Sump pump discharge shall not terminate within 10 feet of any property line.
- In no case shall the discharge cause a nuisance to adjoining properties.
- If a storm sewer system exists adjacent to or within the boundaries of the property, direct connection is allowed. A permit for burying a sump hose or connecting into an existing storm drain system is required prior to connection.
- Connection of a sump discharge line must be designed in such a manner that allows discharge water to flow in the event the buried line freezes.
- The termination distance may be extended upon the review and approval of the Building Commissioner.



Permit requirements for burying and/or connecting a sump discharge line

- Completed permit application.
- Two copies of your Plat of Survey indicating intended location of sump line and termination.
- Contractor license and insurance documentation.
- \$10,000 cash or surety bond for connections to village owned storm system.
- A) \$50 permit fee, B) \$75 fee to connect to village system, C) \$150 if excavation of street is required.

CALL JULIE AT 800-892-0123 FOR ALL UTILITY LOCATIONS PRIOR TO ANY EXCAVATIONS